



## Product Specifications

CAPACITIES		381	401
Cooling Capacity	ton	28.7	32.7
Capacity based on 45°F water outlet temp.; 10°F delta t @ 95°F ambient temperature			
BTU/hr		344,400	392,400
Tank Volume	gal	108	108

DIMENSIONS		381	401
Width	in	45.3	45.3
Depth	in	109.8	109.8
Height	in	82.3	82.3
Weight	lbs	2504	2691

ELECTRICAL		381	401
Volts		460	460
Phase		3	3
Hertz		60	60
FLA		-	-

MISC SPECS		381	401
Refrigerant		R410A	R410A
Protection Class		IP 54	IP 54
Water Flow (min/max)	gpm	39.5 / 220.1	43.9 / 220.1
Total absorbed power	kW	34.3	38.9
Fan Power	kW	2.5	2.5
# of Fans		2	2
Total air flow	cfm	25662	24367
Connection Size	npt	2-1/2"	2-1/2"

## Features / Benefits

- UL & CE listed
- Phase monitoring
- Indoor / Outdoor model
- Closed loop water circulation
- Dynamic dew point control
- Condenser coil filters
- Closed expansion kit
- Crankcase heaters

## Options

- Remote start/stop kit
- Open expansion kit
- Glycol filling kit
- Non ferrous water circuit
- Condenser coil coating
- Low ambient package for colder climates